

WELL CHILD VISITS

Well child visits at Hunterdon Pediatric Associates are a time to discuss your child's emotions, learning, and behavior as well as physical health. Many areas critical to your child's well being are addressed.

Nutrition	Accident prevention	Vision & hearing screenings	Immunizations
Sleep patterns	Physical examination	School performance	Social Development
Dental health	growth & puberty	behavioral assessment	Motor & language development
blood pressure	bowel & bladder function	sexuality issues	screening tests

SCHEDULE OF ROUTINE CHECK-UPS, IMMUNIZATIONS, AND SCREENING TESTS

2 week	No routine vaccines
2 months	Pentacel(DTaP-IPV-HIB), HepB, Prevnar, Rotavirus
4 months	Pentacel (DTaP-IPV-HIB), Prevnar, Rotavirus, Hep B if not given in newborn nursery
6 months	Pentacel(DTaP-IPV-HIB), HepB, Prevnar, Rotavirus
9 months	Lead Screen, Anemia Screen
12 months	Varivax, Hepatitis A, MMR
15 months	Prevnar, (MMR if not given at 12 month visit)
18 months	Pentacel (DTaP-IPV-HIB), Hepatitis A
2 years	Lead Screen, PPD if indicated, Update overdue immunizations
2 ½ years	Developmental Screening, Update overdue immunizations
3 years	PPD if indicated, Lead Screen if indicated, Vision Screen, Update overdue immunizations
4 years	DTaP+IPV(Kinrix), MMR+Varivax #2 (MMRV), Hearing and Vision Screens, PPD if indicated, Lead Screen if indicated
5 years	Hearing and Vision Screens, Update overdue immunizations.
6 years	PPD if indicated, Hearing and Vision Screens, Cholesterol if risk factors, Update overdue immunizations

7 years	PPD if indicated, Vision Screen, Update overdue immunizations
8 years	PPD if indicated, Hearing and Vision Screens, Update overdue immunizations
9 years	PPD if indicated, HPV Vaccine, Vision Screen, Cholesterol, Update overdue immunizations
10 years	PPD if indicated, HPV Vaccine, Hearing and Vision Screens, Update overdue immunizations
11 years	PPD if indicated, HPV Vaccine, Vision Screen, Tetanus & Pertussis booster(Tdap), Meningococcal ACYW Vaccine, Update overdue immunizations
12-15 years	PPD if indicated, HPV Vaccine, Vision Screen, Hearing Screen, Update overdue immunizations, Anemia screen for girls (based on risk assessment)
16-21 years	Meningococcal ACYW Vaccine Dose 2, Meningococcal B Vaccine(see below), PPD if indicated, Vision Screen, overdue immunizations, Cholesterol

- Developmental screening questions asked from age 2 weeks to 6 years.
- Detailed information including Vaccine Information Sheets from the CDC is provided for each vaccine.
- Routine Tetanus and Pertussis booster is necessary at age 11. Tetanus booster is then given every ten years. However, contaminated wounds occurring 5 or more years after the last dose of tetanus require a booster at the time of injury.
- Meningococcal B vaccine is optional for healthy teens ages 16-18 years (can be given up to age 23 years)
- Flu vaccine is given annually starting at age six months

Revised 5/15, 6/16, 9/19, 11/20